

SUBJECT/AUTHOR INDEX

Volume 14

| Subject/Author | Report No. | Subject/Author | Report No. |
|-------------------------|-------------|-------------------------------------|------------|
| A | | Blood-Brain Barrier | |
| Acid, gastric secretion | 19 | Squalus acanthias | 8,26 |
| Action potential, | | Bohr effect | 17 |
| sea potato heart | 37 | Boyer, J. L. | 4 |
| Actinomycin D, | | Boylan, John W. | 1 |
| organogenesis | 38 | | |
| Active transport | | C | |
| Choroid plexus | 26 | Ca-ATPase | |
| Chromate effect | 12 | Avian shell gland | 24 |
| Osmoregulation | 9,23 | CSF - Brain exchange | 8 |
| Gastric mucosa | 19 | CO ₂ , effect on gastric | |
| Purines | 26 | secretion | 19 |
| Rectal gland | 32,33,34,35 | Calcium ions | |
| Amino acids, regulation | 9 | In polar lobe | |
| Anas platyrhynchos | 2,22 | formation | 5 |
| DDE-induced eggshell | | Cancer irroratus | 11 |
| thinning | 24 | Capillary permeability | 8 |
| Anguilla rostrata | | C ₃ -OH | |
| Carbonic anhydrase | 36 | Role in glucose | |
| Chloride efflux | 34 | transport | 20 |
| Gill, fine structure | 7 | Carbonic anhydrase | |
| Gill Na-K-ATPase | 34 | Response to salinity | 36 |
| Salinity, response to | 36 | Carex, in salt marsh | 31 |
| Sodium efflux | 34 | Cautler, Margaret A. | 28,29 |
| Anodal break excitation | 37 | Cephus grylle | |
| Anomura | 11 | DDE and osmoregulation | 23 |
| Antkowiak, D. E. | 1 | tion | 38 |
| Autoradiography | | Champion, Jean | |
| Flounder bladder | 16 | Chloride | |
| Flounder kidney | 30 | In rectal gland | 33 |
| Avian salt gland | 23 | Space | 9 |
| Avian shell gland | | Chloride cells | |
| Ca-ATPase | 24 | Fine structure | 7 |
| Transport ATPases | 24 | Chloride efflux | 34 |
| | | Chondrichthyes | 9 |
| | | Choroid plexus | 26 |
| | | Chromate | |
| | | Effect on urea | |
| | | transport | 12 |
| | | Church, Harold H. | 16,30 |
| | | Circulatory control | 18 |
| | | Conrad, Gary W. | 5 |
| | | "Crane Specificity" | 20 |
| B | | | |
| BSP | 4 | | |
| Baker, Linda D. | 9 | | |
| Bend, John R. | 2,3,15 | | |
| Berliner, Henry | 12 | | |
| Bile | | | |
| Secretion | 4,6 | | |
| D | | | |

| | |
|-------------------------------------|----------|
| Cserr, Helen F. | 26 |
| Current-voltage relation | 10 |
| Cyanide | |
| Effect on organogenesis | 38 |
| Cytochrome P-450 | 2 |
| D) | |
| 14 C-DDA | |
| Renal handling in flounder | 29 |
| 3 H-DDA | 30 |
| DDE | |
| Osmoregulation | 23 |
| DDT | |
| Carbonic anhydrase | 22 |
| Eggshell thinning | 24 |
| Stress in hermit crabs | 11 |
| D-Glucose | |
| Transport requirement | 20 |
| Danforth, John W. | 9 |
| Darling, Kate | 23 |
| Dasyatis americana | 9 |
| Davidson, Nancy P. | 3 |
| Doyle, W. L. | 6,7 |
| Duck shell gland | 22 |
| E | |
| Eel, see | |
| <i>Anguilla rostrata</i> | |
| Eisenholz, P. | 8 |
| Electrolytes | |
| In <i>Raja</i> , effect of dilution | 9 |
| Environmental stress | |
| In hermit crabs | 11 |
| Epoxide hydrase | 15 |
| Epoxide metabolism | 15 |
| Epstein, Franklin H. | 33,34,35 |
| Epstein, Sara | 33,34,35 |
| Erythrocytes | |
| In <i>Raja</i> , effect of dilution | 9 |
| Euryhaline | 36 |
| Extracellular fluid | |
| In <i>Raja</i> , effect of dilution | 9 |
| Extracellular space | |
| Brain, in <i>Squalus</i> | 8 |

| | |
|--|-------|
| F | |
| Fenstermacher, J. | 8 |
| Flounder, see | |
| <i>Pseudopleuronectes americanus</i> | |
| Forrest, John Jr. | 35 |
| Forster, Roy P. | 9 |
| Fouts, James R. | 3,15 |
| Franki, Nicholas | 12 |
| <i>Fratercula arctica</i> | 2 |
| DDE and osmoregulation | 2,23 |
| <i>Fundulus heteroclitus</i> | |
| Peptide effect on organogenesis | 38 |
| Intestinal ion transport | 14 |
| Furosemide | |
| Effect on rectal gland | 35 |
| G | |
| Gallagher, John L. | 31 |
| Gastric mucosa | 19 |
| Gastropod | 11 |
| Giant axon | 13 |
| Gill Na-K-ATPase | |
| localization | 34 |
| Glomerular population, in <i>Squalus</i> and <i>Raja</i> | 1 |
| Glutathione-S-epoxide transferase | 15 |
| Goldman, Yale | 10,37 |
| Goldstein, Leon | 9 |
| Goldstein, Pamela | 28,29 |
| Grant, William C., Jr. | 11 |
| Guarino, Anthony M. | 29 |
| H | |
| HCl | 19 |
| Hays, Laurie | 35 |
| Hays, Richard M. | 12 |
| Hayslett, John P. | 32 |
| Heinemann, M. | 8,12 |
| Hematocrit | |
| In skate, effect of environmental dilution | 9 |

| | |
|---|---------------|
| Hemorrhage | |
| Hemodynamic response | |
| in Squalus | 18 |
| Hepatic microsomal oxidase | 3 |
| Hermit crab, see Pagurus | |
| Hogben, Adrian M. | 32 |
| Holt, Joseph P. | 13,14 |
| Huang, Kee C. | 14 |
| Hypercapnia | |
| Effect on O ₂ dissociation curve | 17 |
| | |
| I | |
| Ilyanassa obsoleta | |
| Polar lobe formation | 5 |
| Intercellular junctions | |
| In bile ducts | 4 |
| Intracellular compartment | |
| Raja, ionic composition | 9 |
| Inulin space | |
| In rectal gland | 33 |
| In brain of Squalus | 8 |
| Ion transport | |
| Fundulus intestine | 14 |
| Ionophores | |
| In polar lobe formation | 5 |
| | |
| J | |
| James, Margaret O. | 15 |
| Juncus, in salt marsh | 31 |
| | |
| K | |
| Karnaky, Karl J., Jr. | 16,30 |
| Kent, Barbara | 17,18 |
| Kidder, George W. III | 19 |
| Kidney | |
| Accumulation of DDA | 30 |
| Carbonic anhydrase | 36 |
| Clearance of sugars | 28 |
| Glomerular counts | 1 |
| Microsomal oxidase | 3 |
| Urea reabsorption | 12 |
| Kinter, Marion A. | 29 |
| Kinter, William B. | 2,16,22,23,30 |
| Kleinzeller, Arnost | 20,28 |

| | |
|--|-------------|
| | |
| L | |
| Little skate, see Raja | |
| Liver | |
| Raja | 4,6 |
| | |
| M | |
| Magnesium | |
| Effect on potassium excretion | 25 |
| Manen, Carol-Ann | 21 |
| Maren, Thomas H. | 22,36 |
| Marinogammarus | 7 |
| McAvoy, Elizabeth | 20,28 |
| Membrane conductance | 10 |
| Methazalamide | 36 |
| Methylmercury | 21 |
| α -methyl-D-glucoside - renal transport | 20,28 |
| Microsomal mixed function oxidases | 3 |
| Miller, David S. | 16,22,23,24 |
| Morad, Martin | 10,37 |
| Murdaugh, E. W. | 25 |
| Murdaugh, H. V. | 25 |
| Mustelus canis | |
| Glomerular count | 1 |
| Myers, J. D. | 25 |
| Myxicola | 13 |
| | |
| N | |
| Na-K-ATPase | 16,23 |
| Nassarius obsoleta | 5 |
| Nelson, J. Arly | 26 |
| Nitrogenous compounds | |
| In Raja, effect of dilution | 9 |
| | |
| O | |
| Opdyke, D. F. | 27 |
| Osmoregulation | 7 |
| Intracellular | 9 |
| Ouabain | 7,34,35 |
| ³ H, binding | 16 |
| Owens, E. | 8 |
| Oxyhemoglobin dissociation curve | |
| Squalus | 17 |
| Effect of hypercapnia | 17 |

P

| | |
|---------------------------------------|----------|
| Pagurus acadianus | 11 |
| Pagurus arcuatus | 11 |
| Patlak, C. | 8 |
| Peakall, David B. | 2,23,24 |
| Peirce, E. Converse | 17,18 |
| Peirce, Marjorie | 17,18 |
| Peperberg, Joel | 38 |
| Perfused rectal gland | 35 |
| Permeability, Fundulus intestine | 14 |
| Pholis | 7 |
| Plants | |
| Salt marsh | 31 |
| Pohl, Roberta J. | 3 |
| Polar lobe formation | 5 |
| Polyamines | 21 |
| Pontier, Paul | 11 |
| Potassium | |
| In rectal gland | 33 |
| Effect of dilution | 9 |
| Potential, membrane | 9,19 |
| Pritchard, John B. | 28,29,30 |
| Pseudopleuronectes amer. | |
| Accumulation of ³ H-DDA | |
| in kidney | 30 |
| Epoxide metabolism | 15 |
| Glucose, transport requirement | 20 |
| Methylmercury enzyme induction | 21 |
| Na-K-ATPase localization | 16 |
| Renal clearance of sugars | 28 |
| Renal handling of ¹⁴ C-DDA | 29 |
| Renal sugar transport | 20 |
| Urinary bladder, ultrastructure | 16 |
| Puffin | 2 |
| Purine transport | 26 |


R

| | |
|------------------------|----|
| Raja erinacea | |
| Bile canalicula, EM of | 4 |
| Bile secretion | 4 |
| Epoxide metabolism | 15 |
| Glomerular count | 1 |

| | |
|--|----------|
| Raja erinacea | |
| Hepatic microsomal oxidase | 3 |
| Liver | |
| Isolated perfused | 4 |
| Fine structure | 6 |
| 3-Methylcholanthrene | 3 |
| Mixed function oxidases | 3 |
| Osmoregulation | |
| Chloride space | 9 |
| Erythrocytes, sodium in | 9 |
| Extracellular volume | 9 |
| Ionic composition | 9 |
| Muscle composition | 9 |
| Water content | 9 |
| Tight junctions of bile ducts | 4 |
| Rappaport, J. | 8 |
| Rea, V. E. | 25 |
| Rectal gland | 32,33,35 |
| Reimold, Robert J. | 31 |
| Renal microsomal oxidase | 3 |
| Renfro, J. Larry | 16,36 |
| Risebrough, Robert W. | 23 |
| Resistance, electrical of gastric mucosa | 19 |
| Rock crab | 11 |
| Rock eel | 7 |
| Rogers, Christine C. | 9 |
| Root effect in hypercapnia | 17 |
| Russell, Diane H. | 21 |

S

| | |
|-------------------------|----------|
| SDS-gel electrophoresis | 38 |
| Salt marsh plants | 31 |
| Substrate | 31 |
| Maine | 31 |
| Schmidt-Nielsen, Bodil | 21 |
| Schon, Donald A. | 32 |
| Schwarz, Joseph | 4 |
| Scott, Leslie | 37 |
| Seymour, Allyn Jr. | 23,24 |
| Shell gland | 22 |
| Shoemaker, David | 23,24 |
| Siegel, Norman J. | 32 |
| Silva, Patricio | 33,34,35 |
| Skate, see Raja | |



Air photo by R. Galaske

Acknowledgement

The Editors are most grateful for the patient and painstaking assistance of Miss Marion Marionowsky, Assistant to the Dean, SUNYAB School of Medicine, and Mrs. Irene Suhr.